

### In the Claims

Please cancel claim 6. Please amend claims 2 and 7 as follows:

1. (original) A mounting frame and mirror assembly, for use by a viewer in conjunction with an existing substantially rectangular flat panel display of a display device mounted to a vertical support structure, said flat panel display having a front surface which faces the viewer of the flat panel display, wherein the flat panel display produces an image comprised of light which is projected onto the front surface when the display device is activated, comprising:

a mounting frame which is selectively fitted over the flat panel display in order to substantially frame the flat panel display, having a substantially rectangular wall flange, a substantially rectangular mirror flange, and four frame walls extending therebetween, said mirror flange having edges which together define an opening; and

a one-way mirror attached within the opening defined by the edges of the mirror flange, said mirror having two opposing surfaces, one of which is a reflective surface, wherein after fitting the mounting frame over the flat panel display, the reflective surface of the mirror obscures the flat panel display when the display device is not activated, while allowing the viewer to see the image on the front

surface of the flat panel display when the display device is activated.

2. (currently amended) The mounting frame and mirror assembly as recited in claim 1, wherein the wall flange, the mirror flange, the frame walls, and the mirror, each have outer surfaces and inner surfaces, and wherein after the mounting frame has been selectively fitted over the flat panel display, ~~the inner surfaces face the vertical support structure, and the~~ outer surfaces face the viewer.

3. (original) The mounting frame and mirror assembly as recited in claim 2, wherein the one-way mirror has edges, and is attached in proximity to its edges to the inner surface of the mirror flange.

4. (original) The mounting frame and mirror assembly as recited in claim 3, wherein the mounting frame and mirror assembly has four bracketing walls extending between the mirror flange and the wall flange, said bracketing walls together defining an enclosure for selectively accommodating the flat panel display.

5. (original) The mounting frame and mirror assembly as recited in claim 4, wherein the front surface of the flat panel display has peripheral edges, and wherein after extending the mounting frame over the flat panel

display, the peripheral edges are pressed substantially flush against the inner surface of the mirror flange.

6. (cancelled)

7. (currently amended) The mounting frame and mirror assembly as recited in claim ~~6~~ 5, wherein the mounting frame is constructed from a material selected from a group of materials consisting of lightweight metals, plastics, and wood.

8. (cancelled)